## **Summary Chart: Other Component Ordering**

Type of Ordering => Form Required	Why	Sample Required	What PSBC Issues and When	Special Information
Fresh Frozen Plasma (FFP)  => Fax / Call Blood Center lab serving your hospital  Request for Blood and Blood Components form	For patient who is actively bleeding due to coagulation factor deficiencies.  1 standard unit provides ~ 250 mL normal plasma.  1 FFP Pedi unit provides ~ 50 mL normal plasma.  Usual adult dose 4-6 units.	No sample required. * Provide coagulation results when ordering if available.	Units usually issued within 2 hours of order receipt (routine) or to arrive by the specified date/time.  Type compatible FFP ordered "Emergency" leaves the Blood Center within 40 minutes of order receipt. Additional time is required for transportation.	Coagulation tests should be obtained before transfusion.  24-hour expiration after thawed if stored properly in a monitored blood component refrigerator.  FFP Pooled or Cryo-Poor Plasma Pooled is available for plasma exchange.
Cryoprecipitate (Cryo)  => Fax / Call Blood Center lab serving your hospital  Request for Blood and Blood Components form	For patient with significant hypofibrinogenemia.  1 unit cryo contains approximately 350 mg fibrinogen.  Cryo comes in single units or pre-pooled bags of 6 units.  Usual adult dose is 1-2 pools (6 units/pool).	No sample required. * Provide coagulation results when ordering if available.	Units usually issued within 2 hours of order receipt (routine) or to arrive by the specified date/time.  Cryoprecipitate ordered "Emergency" leaves the Blood Center within 40 minutes of order receipt. Additional time is required for transportation.	Coagulation tests should be obtained before transfusion.  4-hour expiration.
Granulocytes (GRANS)  => Collections are arranged by MD phone call to Blood Center  After collections are arranged, Request for Blood and Blood Components form  If valid compatibility sample at Blood Center, fax/phone order to Blood Center lab serving your hospital	For patients with severe neutropenia and infection not responsive to antibiotics.	7 mL purple top (EDTA) tube for compatibility testing.	Units usually issued as soon as possible after collection.	Blood Center Medical Director/Physician must approve initial order.  To arrange for granulocyte collection call 425-462-4393; may take up to 48 hours to receive first unit.  Compatibility testing required due to red blood cells in component.  All units will be irradiated.  Granulocyte transfusion should start as soon as possible after they are received.  4-hour expiration